

US005909743A

## United States Patent [19]

Thies et al.

[11] Patent Number:

5,909,743

[45] Date of Patent:

Jun. 8, 1999

[54]	<b>AUTOMATIC PURGE FILTRATION SYSTEM</b>
	FOR A DISHWASHER

75. Inventors: Edward L. Thies, Niles; Roger J. Bertsch, Stevensville; Wilbur W. Jarvis, St. Joseph, all of Mich.

[73] Assignee: Whirlpool Corporation, Benton Harbor, Mich.

[21] Appl. No.: 08/927,706

[22] Filed: Sep. 10, 1997 [51] Int. Cl.<sup>6</sup>

[56] References Cited

				•
3,45	57,929	7/1969	Madden	134/95
3,80	07,418	4/1974	Jenkins	134/57
4,31	19,599		Dingler et al	
4,39	92,891	7/1983	Meyers	134/10
4,4	77,343		Tucker	
4,55	59,959	12/1985	Meyers	134/56
4,67	73,441	6/1987	Mayers	134/18
4,97	72,861	11/1990	Milocco et al	134/104.1
5,01	10,920	4/1991	Tolf et al	137/565
5,09	7,855	3/1992	Martinsson et al	134/57
5,16	55,435	11/1992	Thies et al	134/181


5,320,120	6/1994	Hoffman et al134/104.1
5,401,397	3/1995	Moorehead 210/108
5,429,679	7/1995	Young, Jr
5,601,660	2/1997	Jeon et al 134/104.1 X
5,779,812	7/1998	Thies et al 134/111 X

Primary Examiner—Philip R. Coe
Attorney, Agent, or Firm—Joel M. Van Winkle; Stephen D. Krefman; Robert O. Rice

## [57] ABSTRACT,

A dishwasher pump and automatic purge system which includes a wash impeller supported for rotation within a pump chamber wherein the pump chamber has a main outlet and a sample outlet port. Wish liquid pumped out through the main outlet is recirculated throughout the dishwasher interior wash chamber. A soil collector receives wash liquid through the sample outlet port. The soil collector includes a filter screen for returning filtered wash liquid back into the sump such that soils are retained in the soil collector. Pressure within the soil collector is sensed by a pressure sensor. The soil collector is purged by a drain pump when the pressure within the soil accumulator exceeds a predetermined limit level such that soils are cleared from the collector and the filter screen. When the pressure within the soil accumulator is reduced to below the predetermined limit level, the drain pump is deenergized. A control valve is provided for preventing fluid flow from the dishwasher sump to the drain pump during the purge operation while the wash pump is operating. The control valve is operated in exponse to fluid pressure created by the wash impeller.


## 28 Claims, 7 Drawing Sheets





## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov



Application/Control Number: 10/237,093

Art Unit: 1746

- 1. The indicated allowability of claims 2-4, 9-16 and 18-20 is withdrawn in view of the newly discovered reference(s) to EPO'815, Germany'274, Warren and Price et al. Rejections based on the newly cited reference(s) follow.
- 2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1, 4, 5, 9-11 and 16 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by either EPO'815 (European Patent Office 521,815) or Germany'274 (Germany 34 43 274).

Re claim 1, note the EPO'815 and Germany each disclose a dishwasher, comprising:
a casing (4 in EPO'815 and 1 in Germany'274) arranged within the dishwasher;
an odor eliminating material (11 in EPO'815 and 4 in Germany'274), which
eliminates odors in the dishwasher, installed within the casing;

a shutter (18 in EPO'815 and 2 in Germany'274) which selectively opens a part of the casing to expose the odor eliminating material; and a shutter driving device (8 in EPO'815, and "twisting" means in Germany'274) which operates the shutter.

Page 2